

**ECOTOXIC, TOXIC, FLAMMABLE**

**KEEP OUT OF REACH OF CHILDREN**

**Danadim<sup>®</sup>**  
**PROGRESS**

Organo-phosphorus insecticide with systemic and contact action.

**Active Ingredient:**

**Danadim contains 400 g/litre DIMETHOATE in the form of an emulsifiable concentrate.**

For the control of a wide range of insect pests on berry crops, fruit trees,  
vegetables, pastures, lucerne and fodder crops.

**NET CONTENTS 10 LITRES**

CHM0003WM



Distributed by Zelam Ltd  
Hudson Rd, New Plymouth, NZ Tel: 06 755 9234  
Item number




Registered pursuant to the ACVM Act 1997, No. P8040  
See [www.nzfsa.govt.nz/acvm/](http://www.nzfsa.govt.nz/acvm/) for registration conditions  
Approved pursuant to the HSNO Act 1996, Approval Code HSR000129  
See [www.ermanz.govt.nz](http://www.ermanz.govt.nz) for approval conditions



**PLEASE READ THE LABEL COMPLETELY BEFORE USE**

This product **MUST NOT** be used for any purpose or in any manner contrary to the controls and conditions of this registration. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

**REQUIREMENT FOR RECORD KEEPING AND APPROVED HANDLER DURING USE.** See MSDS for Details

**HSNO Classification 3.1C, 6.1C, 6.5A, 6.5B, 6.8B, 6.9A, 9.1B, 9.2B, 9.3A**

**DANGER**  
Toxic if swallowed. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

**PERSONAL PROTECTION**  
Do not breathe vapours or spray. When mixing or spraying, wear PVC or neoprene gloves, respirator and waterproof clothing. Wash thoroughly with soap and water after handling and before eating, drinking or smoking.  
Wash protective clothing immediately after use.

**FIRST AID**  
**IF SWALLOWED:** Immediately call the National Poisons Centre  
**0800 POISON (0800 764 766)** or a doctor. Rinse mouth.  
**IF INHALED,** remove to fresh air and keep at rest in a position comfortable for breathing. Begin artificial respiration if the victim is not breathing. Use mouth-to-nose rather than mouth-to-mouth. Obtain medical attention.  
If product or spray enters eyes, wash out immediately and continue rinsing with clean water for at least 15 minutes. Obtain medical attention  
**IF ON SKIN (or hair)** wash with plenty of soap and water.  
In case of contact, remove contaminated clothing. Contaminated work clothing should not be allowed out of the workplace.  
If skin irritation or rash occurs: Get medical advice/attention.  
If exposed or concerned: Get medical advice/attention.

**FLAMMABLE LIQUID AND VAPOUR:**  
Keep away from heat or flame. Use only non-sparking tools. Take precautionary measures against static discharge. In case of fire: Use dry chemical powder, water spray or fog to extinguish fires. Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

**ENVIRONMENTAL INFORMATION**  
Toxic to aquatic life with long lasting effects. Toxic to the soil environment. Very toxic to terrestrial vertebrates. Do NOT apply onto or into water. Avoid contamination of any water supply with product or empty container.  
**TOXIC TO BEES.** Spray must not contact plants from 7 days before flowering to petal fall if the plants are likely to be visited by bees.

**STORAGE:** Store in original containers, tightly closed away from foodstuffs, in a secure place, inaccessible to children or other unauthorised persons. Store in a locked, cool, well-ventilated place. When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your local supplier for further information about the use of the product that is older than this.

**CONTAINER DISPOSAL:** Triple rinse containers and add residue to spray tank. Bury in approved landfill.

**SPILLAGES:** Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely (such as to a suitable landfill).

**RESISTANCE MANAGEMENT:** Resistance to this pesticide may develop from excessive use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies that exist for any insect pest listed on the label. Avoid using this insecticide exclusively all season and avoid unnecessary spraying. Maintain good cultural control practices.

**MANUFACTURERS WARRANTY AND EXCLUSION OF LIABILITY**

Cheminova (NZ) Limited has no control over storage, handling and manner of use of this product. Where this material is not stored, handled or used correctly in accordance with directions, no express or implied representations or warranties concerning this product (other than non-excludable statutory warranties) will apply. Cheminova (NZ) Limited accepts no responsibility for any loss arising from incorrect storage, handling or use.

Registered to Cheminova (NZ) Limited, 141 Powderham St, New Plymouth City Centre, New Plymouth, Taranaki 4310 New Zealand

<sup>®</sup>Registered trademark of Cheminova

<sup>™</sup>Trademark

**GENERAL INFORMATION**

Unless otherwise specified rates are suggested for high volume spraying to just before runoff. For concentrate spraying, adjust dilution rate accordingly.

**DIRECTIONS FOR USE**

Crop	Pest	Rate	Remarks
Berryfruit Strawberries	Strawberry aphid	80 mL / 100 litres	Avoid treatment on hot days when plants are wilted.
	Black currants	Aphids	
Cereals Barley, Oats, Wheat	Cereal aphid, Grain aphid	700 mL/ha. In 100 to 200 litres of water	
	Lucerne	Blue-green lucerne Aphid	
Orchards Apples, Pears, Plums	Leaf hoppers, Pear and cherry sawfly larvae	50 mL / 100 litres	Do not use on russet prone varieties after petal fall.
	Aphids, Leaf miners, Mealy bug, Scale (crawler tag), Thrips, Whitefly	80 mL / 100 litres.	
Pasture	Clover flea (Lucerne flea)	500 to 750 mL/ha. in 300 to 500 litres of water	Treat pasture in Autumn at first sign of damage to clover. Respray at 6-8 week interval if re-invasion occurs. Use the higher rate in spring if pasture is to be closed for hay or silage and during periods of high infestations.
Vegetables Broccoli, Brussel sprouts, Cabbage, Cauliflower	Cabbage aphid	800 mL/ha in 500-1000 litres of water	
Carrots	Carrot aphid		
Peas, Potatoes	Aphids		
Fodder crops e.g., Fodder beet, Marrow, Rape, Red beet, Stemmed Kale, Sugar beet, Swedes, Turnips	Aphids, Springtails	800 mL to 1 litre/ha	

**WITHHOLDING PERIODS**

7 days - Lucerne, Pasture and Fodder crops.

14 days - Fruit, Vegetables and Cereals.

**Notes:**

- General.** Apply at first sign of attack and repeat as necessary depending upon climatic conditions and rate of re-invasion. Re-treatment is not normally required more frequently than 14 days.  
- Avoid treatment on hot dry days when plants are wilted. Under these conditions treat early morning or evening.  
- Delay spraying if rain is imminent.  
- Where a rate range is recommended use the highest rate to control severe attack.
- Wetting Agents.** The addition of a surfactant is recommended on hard-to-wet crops.
- Compatibility.** Danadim is compatible with most commonly used pesticides. Do not mix with strongly alkaline materials such as Bordeaux mixture and lime sulphur.



Batch No.:

Date of Manufacture:

CHM0003WM