

HARMFUL ECOTOXIC
KEEP OUT OF REACH OF CHILDREN

zelam

Gold
VICTORY™

**Controls many broadleaf weeds in pasture,
turf and amenity areas**

H E R B I C I D E

NET CONTENTS: 5 LITRES

™ Trademark of Tapuae Partnership, NZ.

Registered Pursuant to the ACVM Act 1997, No. P7889. See www.nzfsa.govt.nz/acvm/ for registration conditions

PLEASE READ THE ENTIRE LABEL BEFORE USE

BEWARE: Apply this product carefully. Very toxic to some plant species.

ACTIVE INGREDIENT: Contains 50g/litre picloram plus 100g/litre triclopyr both as amine salts in the form of a soluble concentrate.

APPROVED HANDLER: This product must be under the control of an approved handler during use. See MSDS for full details.

RECORD KEEPING: Records of use must be kept under certain circumstances. See MSDS for full details.

WARNING: May cause eye irritation, avoid contact with the eyes. May cause organ damage from repeated oral exposure of high doses.

FIRST AID: If swallowed DO NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If spilt on the skin, remove contaminated clothing and wash affected areas of skin. DO NOT SCRUB THE SKIN. If concentrate is splashed in the eyes, flush with running water for at least 15 minutes. Seek medical attention.

PERSONAL PROTECTION: When handling, wear waterproof gloves, eye protection, overalls and boots. DO NOT eat, drink or smoke while using. Wash thoroughly after use and before eating.

WEED SUSCEPTIBILITY

Susceptible Broadleaf Weeds Include: Cape daisy, catsear, chickweed, clovers, cotula, cudweed, daisy, dandelion, dichondra, dock, hawkbit, hawksbeard, hydrocotyle, mallow, mayweed, nettles, onehunga weed, oxalis (*creeping*), parsley piert, plantain, pearlwort, penny royal, ragwort, shepherds purse, sorrel, storksbill, thistles, twincross, wireweed.

Moderately Susceptible Weeds Include: Buttercup, selfheal, yarrow.

Resistant Weeds Include: All grasses and speedweeds.

For the most effective results applications should be made during soft active growth. Spraying when plants are dormant or stressed may give variable results.

DIRECTIONS FOR USE:

PASTURE

High Volume Gun and hose application

WEEDS	RATE ml/100L	COMMENTS
Ragwort • Cabbage rosettes • Multicrowned plants • Flowering plants	300 400 500	Apply as a wetting spray to full coverage while weeds are in active growth.
Fennel, goat's rue, hemlock, horehound, inkweed, lupin, nettles, thistles.	500	
Alligator weed, Californian thistle, capeweed, field bindweed (convulvulus), docks, sorrel and other difficult to kill broadleaf weeds.	600	

PASTURE

Other application methods

EQUIPMENT	RATE	COMMENTS
Knapsack and battery powered units (e.g C-DAX bike sprayers)	12ml/L water	Apply to full coverage
Drench gun fitted with extension lance and solid cone nozzle	1 part Victory Gold with 20 parts water (1:20). Apply 10ml of spray mix per plant.	
	5ml/plant (1:20) or use 10ml/plant (1:40) dilution	For annual thistles and small, first year nodding thistle use only.
Mistblower	40ml/L water	
	200ml/L water	When using ULV attachments
Carpet type weedwiper	1 part Victory Gold with 20 parts water (1:20)	For control of ragwort and Californian thistle. Ensure wiper remains saturated while in use.
Wick wiper	1 part Victory Gold Herbicide with 1 part water (1:1)	Two passes in opposite directions are recommended. Perennial species such as Californian thistle may require repeat treatment. Drain and wash the wiper with water immediately after use.

ANIMAL SAFETY:

Poisonous plants may become more palatable after spraying, and livestock should be kept out until plants have died down.

CAUTION:

Re-Establishment of Clovers: Picloram, an active ingredient of Victory Gold is injurious to legumes. Residues in the soil may prevent early re-establishment after treatment. The persistence of residues in soil will vary with site, climate and rate of herbicide applied. It is suggested that small areas be oversown with clover 1-2 months prior to the planned sowing time and these plants inspected for growth inhibition.

TURF & AMENITY AREAS

(Golf courses, sports fields and playing fields)

METHOD	RATE	DIRECTIONS
Boom	4 Litres per hectare	Best results are achieved by spraying actively growing young weeds.
Gun	500ml per 100 Litres	Apply at any time of the year to turf at least 12 months old.
Spot	12ml per Litre	

Speedwell Control: Add Quantum (500 g/l diflufenican) at 200 ml/ha (boom) or 25ml/100 litres (gun) or 0.5ml/litre (spot) for scrambling, turf, and field speedwell control

NOT FOR USE IN HOME GARDENS. For a period of 6 months following treatment, clippings from treated areas must not be used in compost heaps, used as a mulch around sensitive plants or disposed of at any garden waste recycling centre.

RAINFASTNESS: Rain falling before the spray has dried may result in reduced efficacy.
MIXING: Pour the correct amount of **Victory Gold** into the partly filled tank, and while agitating add the remainder of the water.

WARNINGS:

- Drift:** Apply this product carefully. **Spray drift may cause serious damage to other desirable plants.** Crops susceptible to **Victory Gold** include but are not limited to: all brassicas, beans, flowers, fruit trees, legumes, lupins, ornamentals, potatoes, shade trees, squash, sunflowers, tomatoes, vegetables and vine crops.
- Sprayer clean-up:** To avoid injury to subsequently sprayed crops, thoroughly remove all traces of **Victory Gold** from mixing and spray equipment. Thoroughly clean all sprayer parts with several flushes of clean water.

ECOTOXIC: Warning - very toxic to aquatic organisms. Avoid contamination of any water supply with chemical or empty container. Very toxic to the soil environment. Not toxic to earthworms.

STORAGE: Store in original container, tightly closed, away from foodstuffs. Keep out of reach of children. Use spray solutions the same day.

SHELF LIFE: When stored appropriately, this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

DISPOSAL: Triple rinse containers and add the residue to the spray tank. Dispose of container in an approved landfill or disposal facility. Avoid contamination of any waterway with product or empty container.

MATERIAL SAFETY DATA SHEET: Additional information is listed in the MSDS available from Zelman Ltd or www.zelman.com

ERMA NEW ZEALAND: Additional information is available from the ERMA NZ website - www.ermanz.govt.nz. Approval Code: HS000555

NOTICE TO BUYER: The manufacturer and vendors of **Victory Gold** warrant the formulation to contain the specified active ingredient within accepted tolerance but make no warranty of any kind on the uses of material and accept no responsibility, whether the material is used in accordance with the label directions or not.

REGISTERED TO: Tapuae Partnership, Hudson Road, New Plymouth, NZ
Tel: 06 755-9234 Fax: 06 755-1174

EMERGENCY PHONE: 0800 CHEMCALL - 0800 243 6225

BATCH NO:

D.O.M:

