

CORROSIVE, TOXIC, ECOTOXIC
COMBUSTIBLE LIQUID
WARNING
KEEP OUT OF REACH OF CHILDREN

COMBAT™

BACTERICIDE

Contains: 200g/litre dodine in the form of a soluble concentrate

Limited claim for Psa (*Pseudomonas syringae* pv. *actinidiae*) control in kiwifruit

The efficacy of this product for control of Psa is supported by laboratory data only and therefore it is not fully proven at this stage

NET CONTENTS 20L ■ 200L ■



™Trademark of Zelam Holdings Ltd, NZ. Registered pursuant to the ACVM Act 1997, No. P8418 See www.foodsafety.govt.nz for registration conditions.

PLEASE READ THE ENTIRE LABEL BEFORE USE

HAZARD CLASSIFICATION: 3.1D, 6.1D, 8.2B, 8.3A, 6.9B, 9.1A, 9.3C.

APPROVED HANDLER: This product must be under the control of an approved handler during use. See MSDS for details

This product must not be used for any purpose or in any manner, contrary to this label, unless authorised under appropriate legislation.

RECORD KEEPING: Records of use as described in NZS 8409 Management of Agrichemicals must be kept whenever Combat is used.

WARNING: Harmful if swallowed. May cause target organ damage from repeated oral exposure at high doses.

CORROSIVE: Can cause serious damage to eyes and skin.

FLAMMABLE LIQUID: Keep away from sources of ignition.

FIRST AID: If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water.

PERSONAL PROTECTION: Avoid skin and eye contact and inhalation of spray mist.

When mixing or applying wear waterproof gloves, eye protection, boots and overalls. Do not eat, drink or smoke while using. Wash splashes of concentrate from skin immediately. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work.

ECOTOXIC: Toxic to aquatic organisms. Avoid contamination of any water supply with product or empty container.

STORAGE: Store in original container, tightly closed and in a dry, cool area away from foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals.

SHELF LIFE: When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

DISPOSAL: Triple rinse empty container and add rinsate to the spray tank. If recycling, discard cap and deliver clean container to an Agrecovery depot. Alternatively crush and bury in a suitable landfill. Dispose of product only by using according to the label, or at an approved landfill.

SPILLAGE: Wear appropriate protective clothing. Exclude all bystanders from the vicinity of the spill, and prevent material from entering waterways. Contain liquid spills and absorb with inert material and place in waste containers. Wash area with water and absorb with further inert material. Dispose of waste safely in an approved landfill.

MATERIAL SAFETY DATA SHEET: Additional information is listed in the MSDS available from Zelam Ltd or www.zelam.com.

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS

DIRECTIONS FOR USE

CROP	DISEASE	RATE	CRITICAL COMMENTS
KIWIFRUIT	Psa Limited Claim	300 ml/100 Litres of water	The indicated rate is for dilute application to the point of runoff. For concentrate spraying adjust dilution rate accordingly. Apply to vines after harvest up until just before the first flower is open. Apply prior to or within one day of a disease infection period. Re-apply at 7-10 day intervals or closer if conditions favour infection. Use an alternative registered product at other times.

WITHHOLDING PERIOD: Do not apply once the first flower opens.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the New Zealand (Maximum Residues Limits of Agricultural Compounds) Food Standards.

COMPATIBILITY: If mixtures must be used, test the combination before use and apply immediately. Do not combine with strongly alkaline materials such as hydrated lime or Bordeaux mixture.

RAINFALL: Rain within 3 hours following treatment may reduce effectiveness. Following heavy rain, earlier re-treatment is recommended.

Approved pursuant to the HSNO Act 1996, Approval Code HSR100561

See www.epa.govt.nz for approval controls.

NOTICE TO BUYER: The manufacturer and vendors of Combat warrant the formulation to contain the specified active ingredient within accepted tolerance but make no warranty of any kind on the uses of material and accept no responsibility, whether the material is used in accordance with the label directions or not.

BATCH NO:
COMBAT
D.O.M:



REGISTERED TO: Zelam Holdings Limited,
Hudson Rd, New Plymouth, New Zealand.
Tel: 06 755-9234 Fax: 06 755-1174

EMERGENCY PHONE: 0800 CHEMCALL 0800 243 6225

combat 20L



combat 200L

